Author Index

Aida, K., Moore, R. and Negishi, M.
Cloning and nucleotide sequence of a novel, male-predominant carboxylesterase in mouse liver (1174) 72
Amaral, M.D., Galego, L. and Rodrigues-Pousada, C.
Heat-shock-induced protein synthesis is responsible for the switch-off of *hsp70* transcription in *Tetrahymena* (1174) 133
Antonsson, P., Heinegård, D. and Oldberg, Å.
Structure and deduced amino acid sequence of the human fibromodulin gene (1174) 204
Arakawa, K., see Bai, H. (1174) 279
Aramaki, H., Koga, H., Sagara, Y., Hosoi, M. and Horiuchi, T.
Complete nucleotide sequence of the 5-*exo*-hydroxycamphor dehydrogenase gene on the CAM plasmid of *Pseudomonas putida* (ATCC 17453) (1174) 91
Aris, J.P., Basta, P.V., Holmes, W.D., Ballas, L.M., Moomaw, C., Rankl, N.B., Blobel, G., Loomis, C.R. and Burns, D.J.
Molecular and biochemical characterization of a recombinant human PKC-δ family member (1174) 171
Ascoli, F., see Gambacurta, A. (1174) 267

Bach, M., Reiländer, H., Gärtner, P., Lottspeich, F. and Michel, H.
Nucleotide sequence of a putative succinate dehydrogenase operon in *Thermoplasma acidophilum* (1174) 103
Bai, H., Saku, K., Liu, R., Funke, H., Von Eckardstein, A. and Arakawa, K.
Polymorphic site study at codon 347 of apolipoprotein A-IV in a Japanese population (1174) 279
Ballas, L.M., see Aris, J.P. (1174) 171
Basta, P.V., see Aris, J.P. (1174) 171
Béchet, D., see Mordier, S. (1174) 305
Beresford, J., see Hodgkinson, J.E. (1174) 11
Blobel, G., see Aris, J.P. (1174) 171
Bonincontro, A., Briganti, G., Giansanti, A., Pedone, F. and Risuleo, G.
Effects of magnesium ions on ribosomes: a fluorescence study (1174) 27
Borycki, A.-g., Lenormand, J.-l., Guillier, M. and Leibovitch, S.A.
Isolation and characterization of a cDNA clone encoding for rat CSF-1 gene. Post-transcriptional repression occurs in myogenic differentiation (1174) 143
Breitenberger, C.A., see Torres, J.H. (1174) 191
Briganti, G., see Bonincontro, A. (1174) 27
Brudler, R., see Klenk, H.-P. (1174) 95
Burns, D.J., see Aris, J.P. (1174) 171

Chan, P. and Salier, J.-P.
Mouse α-1-microglobulin/bikunin precursor: cDNA analysis, gene evolution and physical assignment of the gene next to the orosomucoid locus (1174) 195
Chapdelaine, P., see Gauthier, E.R. (1174) 207
Chardon, P., see Dezeure, F. (1174) 17
Chellaiah, A., Davis, A. and Mohanakumar, T.
Cloning of a unique human homologue of the *Escherichia coli* DNAJ heat shock protein (1174) 111
Chen, D., Feng, J.Q., Feng, M., Harris, M.A., Mundy, G.R. and Harris, S.E.
Cloning and sequence of bone morphogenetic protein 4 cDNA from fetal rat calvarial cell (1174) 289
Cowlen, M.S. and Eling, T.E.
Effects of prostaglandins and hydroxyoctadecadienoic acid on epidermal growth factor-dependent DNA synthesis and c-*myc* proto-oncogene expression in Syrian hamster embryo cells (1174) 234

Dagorn, J.-C., see Dusetti, N.J. (1174) 99
Davidson, C.L., see Hodgkinson, J.E. (1174) 11
Davis, A., see Chellaiah, A. (1174) 111
Dezeure, F., Vaiman, M. and Chardon, P.
Characterization of a polymorphic heat shock protein 70 gene in swine outside the SLA major histocompatibility complex (1174) 17
Dubé, J.Y., see Gauthier, E.R. (1174) 207
Dusetti, N.J., Frigerio, J.-M., Dagorn, J.-C. and Iovanna, J.L.
Rapid PCR cloning and sequence determination of the rat lithostathine gene (1174) 99
Dwivedi, R.S., Primiano, T. and Novak, R.F.
Xenobiotic-modulated expression of hepatic glutathione *S*-transferase genes in primary rat hepatocyte culture (1174) 43

Ebina, S., see Takeda, S. (1174) 218
Eling, T.E., see Cowlen, M.S. (1174) 234
Endo, T., see Nakai, M. (1174) 282

Feng, J.Q., see Chen, D. (1174) 289
Feng, M., see Chen, D. (1174) 289
Ferrara, M., see Mordier, S. (1174) 305
Fischer, G., see Schmidt, C. (1174) 1
Flynn, A., Oldfield, S. and Proud, C.G.
The role of the β-subunit of initiation factor eIF-2 in initiation complex formation (1174) 117
Fontenot, G.K., see Yurewicz, E.C. (1174) 211
Friedlander, P., see Wu, C. (1174) 241
Frigerio, J.-M., see Dusetti, N.J. (1174) 99
Fujimoto, H., see Matsumoto, M. (1174) 274
Fukase, T., see Shimada, Y. (1174) 79
Funke, H., see Bai, H. (1174) 279

Galego, L., see Amaral, M.D. (1174) 133
Gambacurta, A., Piro, M.C. and Ascoli, F.
Differential in vitro translation of the precursors of bovine pancreatic trypsin inhibitor and its isoinhibitor II is controlled by the 5′-end region of their mRNAs (1174) 267
Gärtner, P., see Bach, M. (1174) 103
Gauthier, E.R., Chapdelaine, P., Tremblay, R.R. and Dubé, J.Y.
Characterization of rhesus monkey prostate specific antigen cDNA (1174) 207
Genersch, E., see Schmidt, C. (1174) 1
Giansanti, A., see Bonincontro, A. (1174) 27
Guillier, M., see Borycki, A.-g. (1174) 143

Habenicht, A., Hille, S. and Knöchel, W.
Molecular cloning of the large subunit of glutathione synthetase from *Xenopus laevis* embryos (1174) 295

Harris, J., see Yurewicz, E.C. (1174) 211
Harris, M.A., see Chen, D. (1174) 289
Harris, S.E., see Chen, D. (1174) 289
Heinegård, D., see Antonsson, P. (1174) 204
Hibino, Y., Nakamura, K., Tsukada, S. and Sugano, N.
Purification and characterization of nuclear scaffold proteins which bind to a highly repetitive bent DNA from rat liver (1174) 162
Hibler, D., see Yurewicz, E.C. (1174) 211
Hille, S., see Habenicht, A. (1174) 295
Hodgkinson, J.E., Davidson, C.L., Beresford, J. and Sharpe, P.T.
Expression of a human homeobox-containing gene is regulated by $1,25(OH)_2D_3$ in bone cells (1174) 11
Holmes, W.D., see Aris, J.P. (1174) 171
Hong, Y. and Schartl, M.
Sequence of the growth hormone (GH) gene from the silver carp (*Hypophthalmichthys molitrix*) and evolution of GH genes in vertebrates (1174) 285
Horiuchi, T., see Aramaki, H. (1174) 91
Hoshi, M., see Matsumoto, M. (1174) 274
Hosoi, M., see Aramaki, H. (1174) 91

Iizumi, T., see Shimada, Y. (1174) 79
Iovanna, J.L., see Dusetti, N.J. (1174) 99
Iwahori, A., see Oh, S. (1174) 114

Kadner, H., see Schmidt, C. (1174) 1
Kato, A., see Nishi, R. (1174) 293
Kato, I., see Mitta, M. (1174) 201
Kato, S., see Oh, S. (1174) 114
Kenmochi, N., see Nakasone, K. (1174) 75
Kidou, S.-i., see Nishi, R. (1174) 293
Kimura, S., see Tamai, T. (1174) 182
Klenk, H.-P., Schleper, C., Schwass, V. and Brudler, R.
Nucleotide sequence, transcription and phylogeny of the gene encoding the superoxide dismutase of *Sulfolobus acidocaldarius* (1174) 95
Kloetzel, P.-M., see Seelig, A. (1174) 215
Kmiec, E.B., see Myers, R. (1174) 31
Knöchel, W., see Habenicht, A. (1174) 295
Koga, H., see Aramaki, H. (1174) 91
Koyama, H., see Shimokawa, T. (1174) 54
Kozlowski, P., Tymowska, Z. and Toczko, K.
Nucleotide and predicted amino acid sequence of a new member of the *ras* gene family from the slime mold *Physarum polycephalum* (1174) 299
Kühn, K., see Schmidt, C. (1174) 1
Kurata, S.-i., see Matsumoto, M. (1174) 274

Lamoureux, C., see Wu, C. (1174) 241
Lee, K.A.W. and Masson, N.
Transcriptional regulation by CREB and its relatives (1174) 221
Leibovitch, S.A., see Borycki, A.-g. (1174) 143
Lenormand, J.-l., see Borycki, A.-g. (1174) 143
Liu, R., see Bai, H. (1174) 279
Liu, X.-L. and Scopes, R.K.
Cloning, sequencing and expression of the gene encoding NADH oxidase from the extreme anaerobic thermophile *Thermoanaerobium brockii* (1174) 187
Lomax, M.I., see Smith, E.O. (1174) 63
Loomis, C.R., see Aris, J.P. (1174) 171
Lottspeich, F., see Bach, M. (1174) 103

Masson, N., see Lee, K.A.W. (1174) 221
Matsumoto, M., Kurata, S.-i., Fujimoto, H. and Hoshi, M.
Haploid specific activations of protamine 1 and hsc70t genes in mouse spermatogenesis (1174) 274
Meyer, J.
Cloning and sequencing of the gene encoding the [2Fe-2S] ferredoxin from *Clostridium pasteurianum* (1174) 108
Michel, H., see Bach, M. (1174) 103
Mishina, Y., see Shimokawa, T. (1174) 54
Mitta, M., Kato, I. and Tsunasawa, S.
The nucleotide sequence of human aminoacylase-1 (1174) 201
Mohanakumar, T., see Chellaiah, A. (1174) 111
Möller, W., see Sanders, J. (1174) 87
Moomaw, C., see Aris, J.P. (1174) 171
Moore, R., see Aida, K. (1174) 72
Morales, J., see Sanders, J. (1174) 87
Mordier, S., Béchet, D., Roux, M.-P., Obled, A. and Ferrara, M.
Nucleotide sequence of bovine preprocathepsin B. A study of polymorphism in the protein coding region (1174) 305
Mundy, G.R., see Chen, D. (1174) 289
Murakami, H., see Tamai, T. (1174) 182
Myers, R. and Kmiec, E.B.
Characterization of *Ustilago maydis* DNA binding protein one (UBP1) (1174) 31

Nagao, T., see Shimada, Y. (1174) 79
Nagayama, K., see Takeda, S. (1174) 218
Nagel, K. and Voigt, J.
Regulation of the uncoupled GTPase activity of elongation factor G (EF-G) by the conformations of the ribosomal subunits (1174) 153
Nakai, M., Takada, T. and Endo, T.
Cloning of the *YAP19* gene encoding a putative yeast homolog of AP19, the mammalian small chain of the clathrin-assembly proteins (1174) 282
Nakamura, K., see Hibino, Y. (1174) 162
Nakamura, K., see Shimada, Y. (1174) 79
Nakasone, K., Kenmochi, N., Toku, S. and Tanaka, T.
The structure of the gene encoding chicken ribosomal protein L30 (1174) 75
Negishi, M., see Aida, K. (1174) 72
Nishi, R., Kidou, S.-i., Uchimiya, H. and Kato, A.
Isolation and characterization of a rice cDNA which encodes the eukaryotic initiation factor 4A (1174) 293
Noguchi, T., see Tamai, T. (1174) 182
Novak, R.F., see Dwivedi, R.S. (1174) 43

Obled, A., see Mordier, S. (1174) 305
Oh, S., Iwahori, A. and Kato, S.
Human cDNA encoding DnaJ protein homologue (1174) 114
Ohta, M., see Takeda, S. (1174) 218
Oldberg, Å., see Antonsson, P. (1174) 204
Oldfield, S., see Flynn, A. (1174) 117

Papaconstantinou, J., see Yiangou, M. (1174) 123
Pedone, F., see Bonincontro, A. (1174) 27
Piro, M.C., see Gambacurta, A. (1174) 267
Pöschl, E., see Schmidt, C. (1174) 1
Price, G.B., see Wu, C. (1174) 241
Price, G.B., see Wu, C. (1174) 258
Primiano, T., see Dwivedi, R.S. (1174) 43
Proud, C.G., see Flynn, A. (1174) 117

Raggiaschi, R., see Sanders, J. (1174) 87
Rankl, N.B., see Aris, J.P. (1174) 171
Reiländer, H., see Bach, M. (1174) 103
Risuleo, G., see Bonincontro, A. (1174) 27
Robson, R.L., see Zinoni, F. (1174) 83
Robson, R.M., see Zinoni, F. (1174) 83
Rodrigues-Pousada, C., see Amaral, M.D. (1174) 133
Roux, M.-P., see Mordier, S. (1174) 305

Sacco, A.G., see Yurewicz, E.C. (1174) 211
Sagara, Y., see Aramaki, H. (1174) 91
Saku, K., see Bai, H. (1174) 279
Salier, J.-P., see Chan, P. (1174) 195
Sanders, J., Raggiaschi, R., Morales, J. and Möller, W.
The human leucine zipper-containing guanine-nucleotide exchange protein elongation factor-1δ (1174) 87
Sato, N., see Tamai, T. (1174) 182
Schartl, M., see Hong, Y. (1174) 285
Schleper, C., see Klenk, H.-P. (1174) 95
Schmidt, C., Fischer, G., Kadner, H., Genersch, E., Kühn, K. and Pöschl, E.
Differential effects of DNA-binding proteins on bidirectional transcription from the common promoter region of human collagen type IV genes COL4A1 and COL4A2 (1174) 1
Schrell, A. and Schröder, J.
Characterization of a nopaline-induced gene for a 40 kDa protein in the nopaline catabolic (noc) region of Ti plasmid pTiC58 (1174) 303
Schröder, J., see Schrell, A. (1174) 303
Schwass, V., see Klenk, H.-P. (1174) 95
Scopes, R.K., see Liu, X.-L. (1174) 187
Seelig, A., Troxell, M. and Kloetzel, P.-M.
Sequence and genomic organization of the *Drosophila* proteasome PROS-Dm25 gene (1174) 215
Sharpe, P.T., see Hodgkinson, J.E. (1174) 11
Shimada, Y., Nagao, T., Sugihara, A., Iizumi, T., Yui, T., Nakamura, K., Fukase, T. and Tominaga, Y.
Cloning and sequence analysis of an esterase gene from *Pseudomonas* sp. KWI-56 (1174) 79
Shimokawa, T., Mishina, Y. and Koyama, H.
Isolation of multiple activities from mouse FM3A cells which promote homologous pairing of DNA molecules (1174) 54
Shirahata, S., see Tamai, T. (1174) 182
Smith, E.O. and Lomax, M.I.
Structural organization of the bovine gene for the heart/muscle isoform of cytochrome *c* oxidase subunit VIa (1174) 63
Spielmann, A., see Torres, J.H. (1174) 191
Stutz, E., see Torres, J.H. (1174) 191
Sugano, N., see Hibino, Y. (1174) 162
Sugihara, A., see Shimada, Y. (1174) 79

Takada, T., see Nakai, M. (1174) 282
Takeda, S., Ohta, M., Ebina, S. and Nagayama, K.
Cloning, expression and characterization of horse L-ferritin in *Escherichia coli* (1174) 218
Tamai, T., Shirahata, S., Noguchi, T., Sato, N., Kimura, S. and Murakami, H.
Cloning and expression of flatfish (*Paralichthys olivaceus*) interferon cDNA (1174) 182
Tanaka, T., see Nakasone, K. (1174) 75
Toczko, K., see Kozlowski, P. (1174) 299
Toku, S., see Nakasone, K. (1174) 75
Tominaga, Y., see Shimada, Y. (1174) 79
Torres, J.H., Breitenberger, C.A., Spielmann, A. and Stutz, E.
Cloning and sequencing of a soybean nuclear gene coding for a chloroplast translation elongation factor EF-G (1174) 191
Tremblay, R.R., see Gauthier, E.R. (1174) 207
Troxell, M., see Seelig, A. (1174) 215
Tsukada, S., see Hibino, Y. (1174) 162
Tsunasawa, S., see Mitta, M. (1174) 201
Tymowska, Z., see Kozlowski, P. (1174) 299

Uchimiya, H., see Nishi, R. (1174) 293

Vaiman, M., see Dezeure, F. (1174) 17
Voigt, J., see Nagel, K. (1174) 153
Von Eckardstein, A., see Bai, H. (1174) 279

Wu, C., Friedlander, P., Lamoureux, C., Zannis-Hadjopoulos, M. and Price, G.B.
cDNA clones contain autonomous replication activity (1174) 241
Wu, C., Zannis-Hadjopoulos, M. and Price, G.B.
In vivo activity for initiation of DNA replication resides in a transcribed region of the human genome (1174) 258

Yiangou, M. and Papaconstantinou, J.
The differential induction of α_1-acid glycoprotein and serum amyloid A genes by heavy metals (1174) 123
Yui, T., see Shimada, Y. (1174) 79
Yurewicz, E.C., Hibler, D., Fontenot, G.K., Sacco, A.G. and Harris, J.
Nucleotide sequence of cDNA encoding ZP3α, a sperm-binding glycoprotein from zona pellucida of pig oocyte (1174) 211

Zannis-Hadjopoulos, M., see Wu, C. (1174) 241
Zannis-Hadjopoulos, M., see Wu, C. (1174) 258
Zinoni, F., Robson, R.M. and Robson, R.L.
Organization of potential alternative nitrogenase genes from *Clostridium pasteurianum* (1174) 83